

# DECLARATION OF PERFORMANCE

in accordance with EU Construction Products Regulation (CPR) no 305/2011 and Commission Delegated Regulation (EU) No 574/2014

No. DoP-DE-013952 003 [EN]

1. *Unique identification code of the product-type:*

013952 003 (weber.tec Superflex D 2) CM O1P

2. *Intended use/s:*

Liquid-applied water impermeable products, based on polymer modified cementitious mortars, dispersions and reaction resin coatings, used beneath ceramic tiling, for external tile installations on walls and floors and in swimming pools.

3. *Manufacturer:*

Saint-Gobain Weber GmbH  
 Schanzenstrasse 84  
 40549 Düsseldorf  
 Germany  
<http://www.de.weber>

4. *Authorised representative:*

Not applicable

5. *System/s of AVCP:*

AVCP system 3

6. *Harmonised standard:*

EN 14891:2012

Notified body 1: 0761 - Materialprüfanstalt für das Bauwesen, Braunschweig MPA

7. *Declared performance/s:*

Essential characteristics	Performance
Initial tensile adhesion strength	≥ 0,5 N/mm <sup>2</sup>
Waterproofing	keine Wasserdurchdringung/no penetration
Crack-bridging ability	≥ 0,75 mm
Crack-bridging at low temperature	≥ 0,75 mm (-5 °C)
Crack-bridging at very low temperature	NPD
Tensile adhesion strength after heat ageing	≥ 0,5 N/mm <sup>2</sup>
Tensile adhesion strength after water immersion	≥ 0,5 N/mm <sup>2</sup>
Tensile adhesion strength after contact with lime water	≥ 0,5 N/mm <sup>2</sup>
Tensile adhesion strength after freeze-thaw cycles	≥ 0,5 N/mm <sup>2</sup>
Tensile adhesion strength after contact with chlorinated water	≥ 0,5 N/mm <sup>2</sup>
Dangerous substances	NPD

8. *Appropriate Technical Documentation and/or Specific Technical Documentation:*  
Number of Document: Not applicable  
Requirements: Not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:  
Dr. Carsten Zilg  
Dr. Benjamin Krebs

.....  
(Name)

Saint-Gobain Weber GmbH

At .....

(Place)

23-11-2020 - 11:32

On .....

(Date of issue)

.....  
i.v. B. Krebs

.....  
ppa. L F

Attachments to DOP according to CPR Article 6 (5)

1. (31) *Safety data sheet:*